LockerWall

Specification

BISLEY

LockerWall by Bisley is the fully integrated, optimum storage and smart locker system that delivers dependable security, without dominating your space or sacrificing your style. Utilising the latest smart locking software, including networked and hard-wired locks, personal storage and facility management has never been simpler and safer.

Inspired by the traditional locker system, but re-imagined for the contemporary office, LockerWall does what it says on the tin; delivering optimum storage in a sleek, stylish system to suit your organisation's aesthetic. Connect locker and storage modules together to run along empty walls or fill existing alcoves, making the best use of your space and giving colleagues peace of mind whilst at work.

LockerWall is not only a storage system - the lower height lockers can create zoning and space division, giving a workplace defined neighbourhoods. The standing height options double up as an impromptu work surface, or they can be accessorised with planters to bring in mood boosting biophilia.

Features

Locker compartments are available in six door heights and three widths.

Variety of door combinations available for each module.

Choice of MFC, steel or CGL doors in a variety of colours and finishes.

Choice of locking options including key, combination and digital locks.

Option to add a lockable top box to the top of locker modules for extra storage space.

Multiple MFC plinth and scribing panel sizes create a bespoke look.

Broad range of internal configurations and accessories available including adjustable shelves, hooks and postal slots.

Option to add a recessed fitted perch area to banks of lockers.

Range of storage cupboards and display shelving available.

Decorative tops and wraps available in a range of MFC finishes.

Optional USB power inside locker compartments.

Numbering and decorative vinyl graphics can be added to doors.

Soft-close doors.

Five-year guarantee.

Made in the UK.

Benefits

Secure – A choice of locking options to keep your personal belongings safe.

Integrated – Maximise storage without sacrificing valuable floor space with compact, integrated installations which can be fitted against existing walls or into alcoves.

Sleek – Multiple finish options and flush fronted, soft-close doors and scribing panels create stylish yet hardworking storage.

Customisable – With a breadth of MFC, steel and CGL colour options, internal accessories and decorative additions, you can create a flexible, elegant storage solution for the workforce.

Power – Rest assured that all your belongings can be fully charged ready for your working day with the option of having discreet USB power inside each locker.

Modular – Each locker column is individual so you can 'mix 'n match' your units to fit the needs of your workplace.

Range Overview

All lockers are 500mm (19.7”) deep with the exception of the Z door option which is 600mm (23.6”) deep.

Lockers



Storage



Coat cupboard
H: 1900mm (74.8”)
W: 500mm (19.7”), 800mm (31.5”) & 1000mm (39.4”)
D: 500mm (23.6”)

*Includes internal coat rail and shelves



Storage cupboard
H: 1900mm (74.8”)
W: 800mm (31.5”) or 1000mm (39.4”)
D: 600mm (19.7”)

*Includes 4 internal shelves



Bookshelf
H: 1900mm (74.8”)
W: 800mm (31.5”) or 1000mm (39.4”)
D: 600mm (23.6”)

*Includes 4 shelves

Perch Units

H: 1900mm (74.8”)
W: 1000mm (39.4”) or 2000mm (78.7”) *Corner unit is 2000mm (78.7”) by 2000mm (78.7”)
D: 500mm (19.7”)







Locker modules

3 Door Locker Module

H: 1180mm (46.5”) D: 500mm (19.7”)

Product Code	Description	Width
LW311S3ABNP	Standard 3 door AB lock	300mm (11.8”)
LW311P3ABNP	Postal Slot 3 door AB lock	300mm (11.8”)
LW411S3ABNP	Standard 3 door AB lock	400mm (15.7”)
LW411P3ABNP	Postal Slot 3 door AB lock	400mm (15.7”)
LW511S3ABNP	Standard 3 door AB lock	500mm (19.7”)
LW511P3ABNP	Postal Slot 3 door AB lock	500mm (19.7”)



LW411S3ABNP

4 Door Locker Module

H: 1540mm (60.6”) D: 500mm (19.7”)

Product Code	Description	Width
LW315S4ABNP	Standard 4 door AB lock	300mm (11.8”)
LW315P4ABNP	Postal Slot 4 door AB lock	300mm (11.8”)
LW415S4ABNP	Standard 4 door AB lock	400mm (15.7”)
LW415P4ABNP	Postal Slot 4 door AB lock	400mm (15.7”)
LW515S4ABNP	Standard 4 door AB lock	500mm (19.7”)
LW515P4ABNP	Postal Slot 4 door AB lock	500mm (19.7”)



LW415P4ABNP

1 Door Locker Module

H: 1900mm (74.8”) D: 500mm (19.7”)

Product Code	Description	Width
LW319S1ABNP	Standard 1 door AB lock	300mm (11.8”)
LW419S1ABNP	Standard 1 door AB lock	400mm (15.7”)
LW519S1ABNP	Standard 1 door AB lock	500mm (19.7”)



LW319S1ABNP

2 Door Locker Module

H: 1900mm (74.8”) D: 500mm (19.7”)

Product Code	Description	Width
LW319S2ABNP	Standard 2 door AB lock	300mm (11.8”)
LW419S2ABNP	Standard 2 door AB lock	400mm (15.7”)
LW519S2ABNP	Standard 2 door AB lock	500mm (19.7”)



LW319S2ABNP

3 Door Locker Module

H: 1900mm (74.8”) D: 500mm (19.7”)

Product Code	Description	Width
LW319S3ABNP	Standard 3 door AB lock	300mm (11.8”)
LW419S3ABNP	Standard 3 door AB lock	400mm (15.7”)
LW519S3ABNP	Standard 3 door AB lock	500mm (19.7”)



LW319S3ABNP

4 Door Locker Module

H: 1900mm (74.8”) D: 500mm (19.7”)

Product Code	Description	Width
LW319S4ABNP	Standard 4 door AB lock	300mm (11.8”)
LW319P4ABNP	Postal Slot 4 door AB lock	300mm (11.8”)
LW419S4ABNP	Standard 4 door AB lock	400mm (15.7”)
LW419P4ABNP	Postal Slot 4 door AB lock	400mm (15.7”)
LW519S4ABNP	Standard 4 door AB lock	500mm (19.7”)
LW519P4ABNP	Postal Slot 4 door AB lock	500mm (19.7”)



LW419S4ABNP

5 Door Locker Module

H: 1900mm (74.8”) D: 500mm (19.7”)

Product Code	Description	Width
LW319S5ABNP	Standard 5 door AB lock	300mm (11.8”)
LW319P5ABNP	Postal Slot 5 door AB lock	300mm (11.8”)
LW419S5ABNP	Standard 5 door AB lock	400mm (15.7”)
LW419P5ABNP	Postal Slot 5 door AB lock	400mm (15.7”)
LW519S5ABNP	Standard 5 door AB lock	500mm (19.7”)
LW519P5ABNP	Postal Slot 5 door AB lock	500mm (19.7”)



LW319S5ABNP

4 Door/1 Drawer Locker Module

H: 1900mm (74.8”) D: 500mm (19.7”)

Product Code	Description	Width
LW519C5ABNP	4 door, 1 drawer AB lock	500mm (19.7")



LW519C5ABNP

3 Door Combi Locker Module

H: 1900mm (74.8”) D: 500mm (19.7”)

Product Code	Description	Width
LW319C3ABNP	Combi 3 door AB lock	300mm (11.8”)
LW419C3ABNP	Combi 3 door AB lock	400mm (15.7”)
LW519C3ABNP	Combi 3 door AB lock	500mm (19.7”)



LW319C3ABNP

Z Door Locker Module

H: 1900mm (74.8”) D: 600mm (23.6”)

Product Code	Description	Width
LW519Z2ABNP	MFC Locker with CGL Z doors, AB lock	500mm (19.7”)



LW519Z2ABNP

Top Box

H: 400mm (15.7”) D: 500mm (19.7”)

Product Code	Description	Width
LW304S1ABNP	1 door Topbox, AB lock	300mm (11.8”)
LW404S1ABNP	1 door Topbox, AB lock	400mm (15.7”)
LW504S1ABNP	1 door Topbox, AB lock	500mm (19.7”)



LW404S1ABNP

Cupboards & bookshelves

Coat Cupboard (Includes 1 full width shelf with coat rail underneath)

H: 1900mm (74.8”) D: 600mm (23.6”)

Product Code	Description	Width
LW0519CC	1 door coat cupboard, AB lock and T bar handle.	500mm (19.7”)
LW0819CC	2 door coat cupboard, AB lock and T bar handle.	800mm (31.5”)
LW1019CC	2 door coat cupboard, AB lock and T bar handle.	1000mm (39.4”)



LW0819CC

Storage Cupboard (Includes 4 fixed internal shelves) H: 1900mm (74.8”) D: 500mm (19.7”)

Product Code	Description	Width
LW0819SC	2 door cupboard AB lock and T bar handle	800mm (31.5”)
LW1019SC	2 door cupboard AB lock and T bar handle	1000mm (39.4”)



LW0819SC

Bookshelf (Includes 4 fixed shelves) H: 1900mm (74.8”) D: 500mm (19.7”)

Product Code	Description	Width
LW0819BS	Bookshelf	800mm (31.5”)
LW1019BS	Bookshelf	1000mm (39.4”)



LW0819BS

Perchpads

Perchpad H: 1900mm (74.8”) D: 600mm (23.6”)

Product Code	Description	Width
LW1019PP	Perchpad	1000mm (39.4”)
LW2019PP	Perchpad	2000mm (78.7”)



LW1019PP

Corner Perchpad H: 1900mm (74.8”) D: 600mm (23.6”)

Product Code	Description	Width
LW2019CPP	Corner Perchpad	2000mm (78.7”)



LW2019CPP

Finishing & scribing panels

Top Mid Panel for Free Standing Lockers

H: 18mm (0.7”) D: 520mm (20.5”)

LW1052TP W:1000mm (39.4”)	LW1252TP W:1200mm (47.2”)	LW1552TP W:1500mm (59”)	LW1652TP W:1600mm (62.9”)	LW1852TP W:1800mm (70.8”)	LW2052TP W:2000mm (78.7”)
LW2452TP W:2400mm (94.4”)					

Top 1 End Panel for Free Standing Lockers

H: 18mm (0.7”) D: 520mm (20.5”)

LW10152TP W:1020mm (40.1”)	LW12152TP W:1220mm (48”)	LW15152TP W:1520mm (59.8”)	LW16152TP W:1620mm (63.7”)	LW18152TP W:1820mm (71.6”)	LW20152TP W:2020mm (79.5”)
LW24152TP W:2420mm (95.2”)					

Top 2 End Panel for Free Standing Lockers

H: 18mm (0.7”) D: 520mm (20.5”)

LW10252TP W: 1040mm (40.9”)	LW12252TP W: 1240mm (48.8”)	LW15252TP W: 1540mm (60.6”)	LW16252TP W: 1640mm (64.5”)	LW18252TP W: 1840mm (72.4”)	LW20252TP W: 2040mm (80.3”)
LW24252TP W:2440mm (96”)					

Top Mid Panel for Wall lockers and Skirting boards

H: 18mm (0.7”) D: 550mm (21.7”)

LW10M5TP W: 1000mm (39.4”)	LW12M5TP W: 1200mm (47.2”)	LW15M5TP W: 1500mm (59”)	LW16M5TP W: 1600mm (62.9”)	LW18M5TP W: 1800mm (70.8”)	LW20M5TP W: 2000mm (78.7”)
LW24M5TP W: 2400mm (94.4”)					

Top 1 End Panel for Wall lockers and Skirting boards

H: 18mm (0.7”) D: 550mm (21.7”)

LW101E5TP W: 1020mm (40.1”)	LW121E5TP W: 1220mm (48”)	LW151E5TP W: 1520mm (59.8”)	LW161E5TP W: 1620mm (63.7”)	LW181E5TP W: 1820mm (71.6”)	LW201E5TP W: 2020mm (79.5”)
LW241E5TP W: 2420mm (95.2”)					

Top 2 End Panel for Wall lockers and Skirting boards

H: 18mm (0.7”) D: 550mm (21.7”)

LW102E5TP W: 1040mm (40.9”)	LW122E5TP W: 1240mm (48.8”)	LW152E5TP W: 1540mm (60.6”)	LW162E5TP W: 1640 (64.5”)	LW182E5TP W: 1840mm (72.4”)	LW202E5TP W: 2040mm (80.3”)
LW242E5TP W: 2440mm (96”)					

Top Mid Panel for Coat cupboards & Perchpads

H: 18mm (0.7”) D: 650mm (25.6”)

LW10M6TP W: 1000mm (39.4”)	LW12M6TP W: 1200mm (47.2”)	LW15M6TP W: 1500mm (59”)	LW16M6TP W: 1600mm (62.9”)	LW18M6TP W: 1800mm (70.8”)	LW20M6TP W: 2000mm (78.7”)
LW24M6TP W: 2400mm (94.4”)					

Top 1 End Panel for Coat cupboards & Perchpads

H: 18mm (0.7”) D: 650mm (25.6”)

LW101E6TP W: 1020mm (40.1”)	LW121E6TP W:1220mm (48”)	LW151E6TP W: 1520mm (59.8”)	LW161E6TP W: 1620mm (63.7”)	LW181E6TP W: 1820mm (71.6”)	LW201E6TP W: 2020mm (79.5”)
LW241E6TP W: 2420mm (95.2”)					

Top 2 End Panel for Coat cupboards & Perchpads

H: 18mm (0.7”) D: 650mm (25.6”)

LW102E6TP W: 1040mm (40.9”)	LW122E6TP W: 1240mm (48.8”)	LW152E6TP W: 1540mm (60.6”)	LW162E6TP W: 1640mm (64.5”)	LW182E6TP W: 1840mm (72.4”)	LW202E6TP W: 2040mm (80.3”)
LW242E6TP W: 2440mm (96”)					

Back Panels

D: 18mm (0.7”) H: 1180mm (46.4”)

LWBP1150 W: 500mm (20.5”)	LWBP1110 W: 1000mm (39.4”)	LWBP1112 W: 1200mm (47.2”)	LWBP1115 W: 1500mm (59”)	LWBP1116 W: 1600mm (62.9”)	LWBP1118 W: 1800mm (70.8”)
LWBP1120 W: 2000mm (78.7”)	LWBP1125 W: 2500mm (98.4”)				

Back Panels

D: 18mm (0.7”) H: 1540mm (60.6”)

LWBP1550 W: 500mm (20.5”)	LWBP1510 W: 1000mm (39.4”)	LWBP1512 W: 1200mm (47.2”)	LWBP1515 W: 1500mm (59”)	LWBP1516 W: 1600mm (62.9”)	LWBP1518 W: 1800mm (70.8”)
LWBP1520 W: 2000mm (78.7”)	LWBP1525 W: 2500mm (98.4”)				

End Panels

W: 18mm (0.7”) D: 520mm (20.5”)

LW1152EPL H: 1180mm (46.4”)	LW1552EPL H: 1540mm (60.6”)	LW1152EPR H: 1180mm (46.4”)	LW1552EPR H: 1540mm (60.6”)

End Panels

W: 18mm (0.7”) D: 550mm (21.7”)

LW115EPL H: 1180mm (46.4”)	LW155EPL H: 1540mm (60.6”)	LW195EPL H: 1900mm (74.8”)	LW235EPL H: 2300mm (90.5”)
LW115EPR H: 1180mm (46.4”)	LW155EPR H: 1540mm (60.6”)	LW195EPR H: 1900mm (74.8”)	LW235EPR H: 2300mm (90.5”)

End Panels

W: 18mm (0.7”) D: 650mm (25.6”)

LW116EPL H: 1180mm (46.4”)	LW156EPL H: 1540mm (60.6”)	LW196EPL H: 1900mm (74.8”)	LW236EPL H: 2300mm (90.5”)
LW116EPR H: 1180mm (46.4”)	LW156EPR H: 1540mm (60.6”)	LW196EPR H: 1900mm (74.8”)	LW236EPR H: 2300mm (90.5”)

*Codes ending in ‘L’ = Left hand panels
*Codes ending in ‘R’ = Right hand panels

Infill Panels

D: 18mm (0.7”) W: 500mm (19.7””)

LW19IP H: 1900mm (74.8”)	LW23IP H: 2300mm (90.5”)

*Comes with fixings

Top Fascia Panels

D: 18mm (0.7”) H: 500mm (19.7”)

LW20TF5 W: 2000mm (78.7”)	LW25TF5 W: 2500mm (98.4”)

*Comes with vertical supporting panels fitted to the top of the lockers and fixings

Plinth

D:18mm (0.7”) H: 100mm (3.9”)

LW05PL W: 500mm (19.7”)	LW10PL W: 1000mm (39.4”)	LW12PL W: 1200mm (47.2”)	LW15PL W: 1500mm (59”)	LW16PL W: 1600mm (62.9”)	LW18PL W: 1800mm (70.8”)
LW20PL W: 2000mm (78.7”)	LW24PL W: 2400mm (94.4”)				

Accessories

Product Code	Description	Width	Height	Depth
LWSH3	MFC shelf - 300mm (11.8") locker	263mm (10.4”)	18mm (0.7”)	370mm (14.6")
LWSH4	MFC shelf - 400mm (15.7") locker	363mm (14.3"”)	18mm (0.7”)	370mm (14.6")
LWSH5	MFC shelf - 500mm (19.7") locker	463mm (18.2”)	18mm (0.7”)	370mm (14.6")
LWA4PT	A4 postal slot tray	301mm (11.9")	50mm (2")	235mm (9.3")
COATHOOK	Self adhesive coat hook			
LHLDP2PS	Label holders (pack of 2)			
LWJIGCH	Jig for affixing the coat hook			
LWJIGLHAB	Jig for affixing label holder with AB lock			
LWJIGLHM3	Jig for affixing label holder with M3 lock			
LWJIGLHE4	Jig for affixing label holder with E4 lock			



LWA4PT

Specifying Additional Finishing and Scribing Panels

Please note: We highly recommend contacting your Bisley representative for support when specifying LockerWall.

Scenario example 1: Scribed LockerWall bank

For this scenario we recommend specifying:

- End panels
- Top fascia panel/s
- Plinth/s
- Infill panel/s if required



Scenario example two: Freestanding LockerWall bank

For this scenario we recommend specifying:

- End panels
- Top panel/s
- Plinth/s
- Back panel



Scenario example three: LockerWall bank against a wall

For this scenario we recommend specifying:

- Top panel/s
- End panels
- Plinth/s





Specification Notes

All LockerWall options listed are standard key locking with no power. Please see below for additional options.

Locking Options
(Locker modules only)

For the below alternative locking options replace the 8 & 9th characters of the code from '**AB**' to the relevant locking option for example:

For **E4** lock - LW311S3**AB**NP becomes LW311S3**E4**NP

AB

E4 (Private)

M3 (Private)



For Smart Locking options please speak to your Bisley representative.

Please Note: All locking options apply to doors only, drawers come non-locking as standard.

Power Options
(Only available in 4 and 5 door lockers)

To add USB power inside locker compartments change characters 10 & 11 from '**NP**' to '**UK**/**EU**/**US**' for example:

For **UK** power - LW319S4AB**NP** becomes LW319S4AB**UK**

Please Note: Power is only available in door compartments.

Finish Options

LockerWall is available in the Primary and Classic wood palettes.

Primary Wood Palette

562 Platinum White carcase + Primary MFC doors = +0%
Primary MFC carcase + Primary MFC doors = +5%
Additional panels/plinths in Primary MFC = +0%

Front White 001 | Verade Oak 002 | Tiepolo walnut 003 | Bavaria Beech 632 | Maple 014 | Portofino Cherry 004 | Stone Grey 510

Classic Wood Palette

562 Platinum White carcase + Classic MFC doors = +0%
Classic MFC carcase + Classic MFC doors = +5%
Additional panels/plinths in Classic MFC = +0%

Front White 001 | Fjorde Green 638 | Dakar Grey 639 | Pebble Grey 630 | Pearl Grey 634 | Carbon Grey 635 | Soft Black 621

For alternative finishes surcharges apply, please see below.

Performance Wood Palette

562 Platinum White carcase + Performance MFC doors = +2%
Performance MFC carcase + Performance MFC doors = +10%
Additionals panels/plinths in Performance MFC = +2%

Vision Wood Palette

562 Platinum White carcase + Vision MFC doors = +3%
Vision MFC carcase + Vision MFC doors = +15%
Additional panels/plinths in Vision MFC = +3%

Alternative Materials

Steel doors from the Vision Palette = +10% surcharge

Anti Microbial paint on steel doors = +15%

Compact Grade Laminate (CGL) doors = +20%

Please Note: Z Door Lockers are only available with MFC carcase and CGL doors.

Camira Blazer Fabric is available for the LockerWall Perchpad.

Internal Compartment Dimensions

All 300mm (11.8”) wide lockers have an internal width of 264mm (10.4”)
All 400mm (15.7”) wide lockers have an internal width of 364mm (14.3”)
All 500mm (19.7”) wide lockers have an internal width of 464mm (18.3”)



H: 332mm (13.1”)
D: 450mm (17.7”)

Each locker compartment includes 1 adjustable MFC shelf



H: 332mm (13.1”)
D: 450mm (17.7”)



H: 1763mm (69.4”)
D: 450mm (17.7”)

Locker compartment includes 5 adjustable MFC shelves



H: 872mm (34.3”)
D: 450mm (17.7”)

Each locker compartment includes 2 adjustable MFC shelves



H: 572mm (22.5”)
D: 450mm (17.7”)

Each locker compartment includes 1 adjustable MFC shelf



H: 422mm (16.6”)
D: 450mm (17.7”)

Please note: Postal slot doors include 1 fixed shelf positioned at the top of each compartment for paper capture.

1900mm (74.8")



H: 332mm (13.1")

D: 450mm (17.7")

1900mm (74.8")



H: 332mm (13.1")

W: 464mm (18.3")

D: 450mm (17.7")

Drawer:

H: 225mm (8.9")

W: 406mm (16")

D: 432mm (17")

Please note only available in 500mm (19.7") width

1900mm (74.8")



Small door

H: 422mm (16.6")

Large door

H: 872mm (34.3")

D: 450mm (17.7")

Bottom locker compartment includes 2 adjustable MFC shelves

1900mm (74.8")



Widest section:

H: 299mm (11.8")

W: 464mm (18.3")

D: 580mm (22.8")

Narrowest section:

H:1128mm (44.4")

W: 223mm (8.8")

D: 580mm (22.8")

Z door lockers have one fixed shelf and a coat rail in each compartment

Top box



H: 363mm (14.3")

D: 450mm (17.7")

BISLEY